


Digital Caliper

Use this high quality 6° caliper to measure thickness, inside and outside diameters and depths in 1/32* increments with an easy to read scale.

Thumb stud and lock down screw ensures accurate readings every time . Steel construction makes this a long lasting and dependable tool.

Size: 0-100mm/0-4*, 0-125mm/0-5*, 0-150mm/0-6*, 0-200mm/0-8*, 0-300mm/0-12*



Dial Caliper with Roll Wheel

Let's face it, most of your measuring requirements are for small items that are less than 4*. right? That's why this 4° dial caliper is such agreat deal; Compact size and special price. This dial caliper with. 001" graduations and .100"per revolution features hardened knife edges, inside and outside calipers plus step gauge. Stainless steel construction. Shock proof and dust proof.

Size: 0-150mm/0-6*, 0-200mm/0-8*, 0-300mm/0-12*,



Size: 0-150mm/0-6*,

0-200mm/0-8*

0-300mm/0-12*.

Extra large LCD display. SAE and metric digital display. Built-in computer interface port.

Digital Caliper

Make quicker measurements with less eye strain using this caliper with extra large, easy-to-see LCD read out. Includes 1.5 volt button

cell battery and storage case.





Outside Micrometers Metric



Size: 0-25, 0-50, 50-75, 75-100

M.05069

Electronic Digital Outside Micrometers

M.05070

Extra large LCD readout with 0.001 mm resolution. With data output. Lightweight design allows measurements to be taken with the micrometer held in one hand. Functions available: Automatic power-on/off, units selection, Zero-Set, Data hold, Value preset and Tolerance limit set.

Size: 0-25(0-1"), 25-50(1-2"), 0-25(2-3"), 25-50(3-4")

Dial Indicators



These precision Dial Indicators are great for general inspection purposes as well as checking run out on any lathe or mill. Spindle is made of hardened stanless steel. Proper design of mechanism

Face diameter: 55mm Graduation: 0.01mm Measuring Span: 10mm



Stainless steel materials

M.05074

M.05072

Size: 6"-8"-10"-12"-16" 20"-24"-36"-40"-60"-80"



Size: 150mm/6*, 200mm/8*, 250mm/10°, 300mm/12°

MIND 2D 27 DN 25 24 27 27 27 20 10 10 10 11 11 16 16 16 17 18 6 6 7 6 5 4 2

Stiding Bevel

Moulded plastic nonslip stock with tempered steel blade. Chrome plated screw and wing nut.

M.05073

Size: 200mm/8*, 250mm/10*





Heardened steel blade and cast aluminium base. Yellow coated blade with clearly marked black graduations. These high precision Aluminum Squares are perfect for square layouts and machine set-ups. Each square features a heavy duty beam and beveled scale with inside and outside graduations.

Size: 250mm/10*, 300mm/12*, 350mm/14*, 400mm/16*





Plumb Bobs







corpoasia, synology, me 60 59 corpoasia. synology, me











Professional Screwdriver

M:04001

Slotted -

Size: 3x75mm, 4x100mm, 5x125mm, 5x150mm, 6x100mm, 6x150mm

Phillips -

· 🗘 🕿 Size: 0x75mm, 1x75mm, 1x125mm, 1x150mm, 2x150mm, 2x250mm



6 Pieces Electric Screwdriver Set

M.04004

Material: Carbon Steel 4mm Blade, Specialized Using in Narrow Instrument. Including: (-) 3*, 5*, 8* (+) 3", 5", 8"







Professional Screwdriver

M.04002

Slotted -

Size: 0.5x3x75mm, 0.6x4x75mm, 0.8x4x100mm, 1.0x5.5x125mm, 1.2x6.5x150mm, 1.2x8x175mm

-0 === Size: PH.0x60mm, PH.1x80mm, PH.2x100mm, PH.3x150mm

Size: PZ 0x60mm, PZ 1x80mm, PZ 2x100mm, PZ.3x150mm



0 ===

2 In 1 Professional Screwdriver Set

M.04005

Material: Chrome-Vanadium Finish: Chrome-Plated Blade Size: 6.3x135mm





Professional Screwdriver

M.04003 Material CR-V Finish Chrome-Plated -0 =

-≎ ==

Size: 5x75mm, 5x100mm, 6x100mm, 6x150mm, 8x150mm, 8x200mm, 8x250mm, 10x300mm, 10x400mm

Phillips -

Size: PH.0x75mm, PH.1x75mm, PH.2x38mm, PH.2x100mm, PH.2x150mm, PH.3x150mm



4 In 1 Professional Screwdriver Set

M.04006

Packing: Box Material: Chrome-Vanadium Finish: Chrome-Plated Blade Size: 6.3x135mm, 8x75mm Blade Specification: PH.2x3/16*, PH.2x1/4*









⇒ 3x75mm-6x300mm \$3x75mm-6x300mm Screwdriver M.04008

€ 6.3x100mm-8x360mm



M.04011

Size: 6.3x100mm





Screwdriver M.04012

Size: 6x38mm

47 corpoasia, synology, me 48 -



Screwdriver

M.04014



Size: 6x100mm, 5x87mm, 6x38mm, 3x50mm

6Pcs Precision Screwdriver Set M.04015



11Pcs Precision Screwdriver Set

M.04016



6Pcs Precision Screwdriver Set

Black oxidized finish head and plastic handle, in plastic box Slotted: 1.4-2.0-2.4-3.0mm Phillips: 0#-1#

M.04017



3pcs Screwdriver Set

M.04018



Size: 3x47mm, 4x57mm, 5x64mm

6pcs Precision Screwdriver Set

M.04019





SCREWDRIVER

6pcs Precision Screwdriver Set

M.04021

6pcs Precision Screwdriver Set

M.04022



7pcs Precision Screwdriver Set

M.04023



6pcs Precision Screwdriver Set

M.04024





29Pcs Combination Tool Set

Including: 7pcs sockets 20pcs 25mm bits 1pc extension bar 1pc 3-way ratchet screwdriver handle

49Pcs Bits & Sockets Set

15Pcs Drive Star Power Set

M.04025



11Pcs Screwdriver Set

6Pcs Precision Screwdriver Set 1Pcs multifunctional screwdriver 4Pcs screwdriver

M.04029

OPH1x75mm, PH2x150mm





6Pcs Screwdriver Set

M.04030



6Pcs Star Driver Set

M.04031

Size: T10, T15, T20, T25, T27, T30



101Pcs Combination Tools Set

M.04028

M.04027



M.04026



Over sized rubber grip handles for increased torque & a firm, comfortable hold Hex bolsters can be used with a wrench

M.04032

◆ 5x75mm, 6x100mm

PH1x75mm,PH2x100mm,PH2x150mm,PH3x200mm



corpoasia, synology, me 50 49 corpossia. synology. me

3pcs Screwdriver


M.04033

-4.0*100mm, +ph1*80mm



6pcs Screwdriver

M.04034





18Pcs Screwdriver Set

PH2x38mm, PH1x75mm, PH2x100mm, PH3x150mm, PH00x50mm, PH0x50mm 8x35mm, 5x75mm, fx100mm, 8x150mm, 3x50mm, 7x550mm, T6x50mm, T6x50mm, T7x50mm, T8x50mm, T6x50mm, Fork 3x50mm

M.04035



6Pcs Screwdriver set

€ 6x150mm, 6x100mm, 5x100mm

PH2x150mm, PH2x100mm, PH1x100mm

M.04036



SCREWDRIVER

70Pcs Combination Tools Set

Including: 18pcs sockets, 46pcs 25mm bits 1pc 65mm bits holder, 1 handle with torch 4pcs rubber bits holder

M.04037





M.04038
12 In 1 Exchangehard-Cover Screwdriver



82Pcs Terminal Assortment
M.04039

5Pcs Impact Driver Set





Reversible drive, for either moving very tight screws, or for firm final screwtightening. Chrome-plated barrel is knurled

barrel is knurled for sure grip. Hexagon adaptor has 1/2in square drivo. PH 8,10 HEX 2,3mm

M.04040



5Pcs Impact Driver Set



moving very tight screws, or for filmer final screw-tightening. Chrome-plated barrel is knurled for sure grip. Hexagon adaptor has 1/2in square drive. PH8, 10; HEX 2,3mm.

M.04041

7Pcs Impact Driver Set



HEX 4,5,6mm

Heavy duty 1/2inch square drive impact driver with composite grip and knuckle guard sizes include slotted 5,6,8,9mm PH 2.3.4

M.04042

7Pcs Impact Driver Set



Heavy duty 1/2inch square drive impact driver with composite grip and knuckle guard sizes include slotted 5,6,8,9mm PH 2.3.4

HEX 4.5.6mm

M.04043

14Pcs Screwdriver Set

12Pcs 25mm Bits 1Pc Extension Bar 1Pc Ratchet Screwdriver

M.04044



26Pcs Screwdriver Set

24Pcs 25mm Bits 1Pc Extension Bar 1Pc Ratchet Screwdriver

M.04045



58Pcs Screwdriver Set

Slotted: 3,4,5,6,7mm Philips: Ph1, Ph2, Ph3, Hex: H5,H6,H7,H8,H9,H10, Pz1,Pz2,Pz3 Star:T10,T15,T20,T25T27,T30 1Pcs Ratcheting Action

M.04046



31Pcs Screwdriver Set

21Pcs 6.3x25mm Bits 1Pc Ratchet Handles 1Pc Mini Level 1Pc Flex ex Bar 7PcsTorques 7Pcs Sockets 2Pcs Hex 3Pcs Pozi 4Pcs Philips 5Pcs Slotted

M.04047







27Pcs Screwdriver Set

12Pcs 25mm Bits 12Pcs Slotted Bits 1Pc Extension Bar 1Pc Ratchet Screwdriver 1Pc Snake Driver

M.04048



26Pcs Screwdriver Set

Slotted: 3.4,5,6,7mm Philips: Ph1, Ph2,, Ph3, Hex: H5,H6,H7,H8,H9,H10, Pz1,Pz2,Pz3 Star: T10,T15,T20,T25T27,T30 1Pcs Ratcheting Action

M.04049



44Pcs Combination Tools Set

Including: 26pcs 25mm bits, 12pcs sockets 1pc screwdriver handle, 1pc 300mm spindle 4pcs rubber bits holder

M.04050



57Pcs Combination Tools Set

Including: 14pcs sockets, 35pcs bits 1pc bit extension bar, 1pcs ratchet screwdriver 4pcs rubber bits holder, 2pcs rubber socket holder

M.04051

51 corpoasia. synology, me g



Measuring Tape

M.05001

Size: 2m(6ft),3m(10ft),3.5m(12ft),5m(16ft), 5.5m(18ft),7.5m(25ft),8m(26ft),10m(33ft)



Size:3m,5m,7.5m,10m,



M.05004

Size:3m,5m,7.5m,10m,





MEASURING TOOLS



Measuring Tape

M.05005

Size: 2m(6ft),3m(10ft),3.5m(12ft), 5m(16ft),5.5m(18ft),7.5m(25ft),



M.05006

Size: 2m(6ft),3m(10ft),3.5m(12ft), 5m(16ft)



Sticks to metal.
 Rubber case for comfortable gripand durability.

. Blade stop lever is made of rubber for Nice design to be accord with the human engineering



Width. 16mm 19mm 25mm 25mm

3m/10ft 5m/16ft 5m/16ft 5.5m/18ft 7.5m/25ft



M.05007

Size: 2m(6ft),3m(10ft),3.5m(12ft)

Measuring Tape M.05009

Sticks to metal Co-molded rubber case for comfortable grip and durability. Blade stop lever is made of rubber for comfort. Side mounted blade stop for easy use.



3 STOPS

Width 3m/10ft 16mm 5m/16ft 19mm 5m/16ft 25mm 5.5m/18ft 25mm 7.5m/25ft 25mm 8m/27ft 25mm







Size: 2m(6ft),3m(10ft),3.5m(12ft),5m(16ft),5.5m(18ft), 7.5m(25ft),8m(26ft),10m(33ft)



Size: 2m(6ft),3m(10ft),3.5m(12ft),5m(16ft), 5.5m(18ft),7.5m(25ft),8m(26ft)





Size: 3m(10ft)x16mm(5/8"),5m(16ft)x19mm(3/4") 5m(16ft)x25mm(1"),7.5m(25ft)x25mm(1") 10m(33ft)x25mm(1")

M.05015

Measuring Tape

M.05016



Size: 3m(10ft)x16mm(5/8"),5m(16ft)x19mm(3/4") 5m(16ft)x25mm(1"),7.5m(25ft)x25mm(1") 10m(33ft)x25mm(1")



Size: 3m(10ft)x16mm(5/8"),5m(16ft)x19mm(3/4") 5m(16ft)x25mm(1"),7.5m(25ft)x25mm(1") 10m(33ft)x25mm(1")

53 corpossia. synology. me corpoasia. synology. me 54





Manufactured from Aluminum with a powder coated finish and protective plastic end caps. With 3 fixed,round shaped impact resistant, horizontal vertical and 45 degree angle vials. Size: 300mm/12", 400mm/16", 500mm/20", 600mm/24", 800mm/32", 1000mm/40",

1200mm/48* 1500mm/60*



Manufactured from hardeded aluminum with fine finish and protective end capes. Fixed all-round viewing impact-resistant vials for horizontal viewing plus adjustable plumb and angle finder.

Size: 300mm/12*, 400mm/16*, 500mm/20*, 600mm/24", 800mm/32", 1000mm/40", 1200mm/48", 1500mm/60"



Manufactured from Aluminum with a powder coated finish with milled base and protective ridged end caps. With 3 fixed ,round shaped impact resistant horizontal, vertical &45 degree angle vials.

Size: 300mm/12*, 400mm/16*, 500mm/20*,600mm/24*, 800mm/32*, 1000mm/40",1200mm/48", 1500mm/60"



Manufactured from hardened aluminium with fine finish and protective end caps. Fixed all-round viewing impact-resistant vials for horizontal.

Size: 300mm/12*, 400mm/16*, 500mm/20*, 600mm/24", 800mm/32", 1000mm/40", 1200mm/48*, 1500mm/60*



Extruded aluminuml-beam with black anodized finish, Computer machined level edge. 360-degeree reading acrylic yellow barrel vials. Screw-on, high-impact resistant plastic covers with protective lenses. Large, patented, magnified top-read window. Shock-protecting end

Size: 300mm/12", 400mm/16", 500mm/20", 600mm/24", 800mm/32", 1000mm/40", 1200mm/48*,1500mm/60*



Manufactured from lightweight aluminium Three vials that measure both Plastic end caps and hanging hole.

Size: 300mm/12", 400mm/16", 500mm/20". 600mm/24*, 800mm/32*, 1000mm/40*, 1200mm/48*, 1500mm/60*





Manufactured from heavy duty aluminium Ribbed sides and milled top & bottom faces. Three vials that measure both horizontally and vertically. Plastic end caps and hanging hole.

Size: 300mm/12*, 400mm/16*, 500mm/20*, 600mm/24", 800mm/32", 1000mm/40", 1200mm/48".1500mm/60"

Box Level - 3 Vial with Metric Rule

MEASURING TOOLS



Manufactured from Alumium with a fine finish and protective plastic end caps. Fixed ,round shaped impact resistant horizontal and vertical vials and metric rule scale on bottom edge. Size: 300mm/12*, 400mm/16*, 500mm/20*, 600mm/24", 800mm/32", 1000mm/40", 1200mm/48*, 1500mm/60*





A continuous edge center vial is accurate and easy to see. Aluminum,rugged box beam design is engineered for maximum durability even after sustaining a 2-story or 50-degree temperature change inside your vehicle.

Size: 300mm/12*, 400mm/16*, 500mm/20*, 600mm/24*



Three bubbles: one horizontal bubble, one vertical bubble, one 45 degree bubble; With scale both side; With two hang holes; Widths: 0.8mm, 1.0mm; Plastic sprayed; Polished bottom.

Size: 300mm/12*, 400mm/16*, 500mm/20*, 600mm/24*, 800mm/32*, 1000mm/40*, 1200mm/48",1500mm/60"

FSA 22 Type Level



With the application of high quality aluminum alloy and high transparent, super clear vials, the level features high sensitivity to the variation of measured surface position when it is placed on an object; Widely used in the architectures engineering, room decoration and sports to examine the horizontal or vertical position of an object.

Size: 300mm/12*, 400mm/16*, 500mm/20* 600mm/24*, 800mm/32*, 1000mm/40*, 1200mm/48*, 1500mm/60*

M.05028

Digital Laser Level



Measure all angles in a 360o range with Smartool. The display evenflips over with the level, shutting off automatically after five minutes when not in use, all from a standard 9-volt battery. It also features angle accuracy to 1/10 th of a degree, a mode button that lets you see angles in the three -way degrees, percentage slope or pitch

(inches of rise per foot of fun), and listen and level, ideal for poorly lit areas.

M.05031

M.05029

Box Levels with Rubber Hand Grios



Manufactured from extruded Aluminium with red powder coated finish and protective rubber end caps. Finely milled top and bottom with soft rubber hand grips. Complete with a fixed cylindrical vial with magnifier for horizontal and vertical viewing plus adjustable plumb and angle finder. Size: 600mm/24*, 800mm/32*, 1000mm/40*,

1200mm/48*, 1500mm/60*

Solid acrylic shockproof vials; 2 milled surfaces; Non slip ergo grip handles

Box Levels with Rubber

Size: 300mm/12", 400mm/16", 500mm/20", 600mm/24", 800mm/32", 1000mm/40"



Aluminum Level

Manufactured from Aluminum with a powder coated finish and protective plastic end caps.With 3 fixed,round shaped impact resistant, horizontal vertical and 45 degree angle vials.



Size: 300mm/12*, 400mm/16*, 500mm/20*, 600mm/24*, 800mm/32", 1000mm/40", 1200mm/48", 1500mm/60"



This type of spirit level is made of alloy. The six vials can be used to show different slope angles, including 0°, 45°, 90°.

Size: 600mm/24*, 800mm/32*, 1000mm/40*,1200mm/48*

97C-3 Type Level

M.05034

Manufactured from Aluminium with a powder coated finish and plastic protective end caps. Has 2 fixed, round shaped impact resistant, horizontal and vettical vials.

Size: 300mm/12", 400mm/16", 500mm/20", 600mm/24", 800mm/32", 1000mm/40", 1200mm/48", 1500mm/60"

FSA 14 Type Level



98Y-1 Type Level



Size: 400mm/16*, 600mm/24*, 800mm/32*

92H Type Level




Manufactured from Aluminium with a powder coated finish and plastic protective end caps. Has 2 fixed, round shaped impact resistant, horizontal and vettical vials.

. (

Size: 300mm/12*, 400mm/16*, 500mm/20*, 600mm/24", 800mm/32", 1000mm/40", 1200mm/48", 1500mm/60"

97B Type Level



600mm/24", 800mm/32", 1000mm/40" 1200mm/48", 1500mm/60"

M.05037

98Y Type Level



With two bubbles, one horizontal bubble, one 180 degree adjustable bubble; Magnetic bottom; Polished bottom; With a hang hole.

Size: 300mm/12", 400mm/16", 500mm/20", 600mm/24", 800mm/32", 1000mm/40", 1200mm/48", 1500mm/60"

55 corpossia. synology. me / y corpoasia, synology, me 56 💳

Comfortable Rubber Handle

A continuous edge center vial is accurate and easy to see. Aluminum, rugged box beam design is

engineered for maximum durability even after sustaining a 2-story or 50-degree temperature change inside your vehicle. Plus, you cancalibrate vials in seconds with simple turn of ahex key or Philips screwdriver.

Size: 300mm/12", 400mm/16", 500mm/20", 600mm/24", 800mm/32", 1000mm/40", 1200mm/48", 1500mm/60", 2000mm/80"

M.05040

Comfortable Rubber Handle

A continuous edge center vial is accurate and easy to see. Aluminum, rugged box beam design is engineered for maximum durability even after sustaining a 2-story or 50-degree temperature change inside your vehicle. Plus, you cancalibrate vials in seconds with simple turn of ahex key or

Philips screwdriver. Size: 300mm/12", 400mm/16", 500mm/20", 600mm/24", 800mm/32", 1000mm/40", 1200mm/48", 1500mm/60", 2000mm/80"

M.05041

Comfortable Rubber Handle

A continuous edge center vial is accurate and easy to see. Aluminum, rugged box beam design is

engineered for maximum durability even after sustaining a 2-story or 50-degree temperature change inside your vehicle. Plus, you cancalibrate vials in seconds with simple turn of ahex key or Philips screwdriver

97A Type Levels

Size: 300mm/12", 400mm/16", 500mm/20", 600mm/24", 800mm/32", 1000mm/40", 1200mm/48", 1500mm/60", 2000mm/80"

M.05042

LEVEL TOOLS

Manufactured from Alumium with a fine finish

and protective plastic end caps. Fixed, round

vials and metric rule scale on bottom edge.

Size: 300mm/12", 400mm/16", 500mm/20"

1200mm/48", 1500mm/60"

Size: 300mm/12", 400mm/16", 500mm/20", 600mm/24"

Trapezoid-Shaped Aluminum Profile No Vial

Size: 1.0, 1.2, 1.5, 2.0, 2.5, 3.0

800mm/32", 1000mm/40",

1200mm/48", 1500mm/60"

Special Level

M.05051

shaped impact resistant horizontal and vertical

600mm/24", 800mm/32", 1000mm/40",

97D Type Levels



Manufactured from Aluminium with a powder coated finish and plastic protective end caps. Has 2 fixed round haped impact resistant, horizontal and vettical vials. Size: 300mm/12", 400mm/16", 500mm/20", 600mm/24", 800mm/32", 1000mm/40", 1200mm/48", 1500mm/60"

M.05043

98Y-4 Type Levels

A continuous edge center vial is accurate and easy to see. Aluminum, rugged box beam design is engineered for maximum durability even after sustaining a 2-story or 50-degree temperature change inside your vehicle




Special Level

Straight-Edge Make of Aluminum Profile with 1 Horizontal and 1 Vertical Vial Size: 1.0, 1.2, 1.5, 2.0, 2.5, 3.0





Manufactured from extruded Aluminium with red powder coated



1000mm/40", 1200mm/48", 1500mm/60"

M.05052

89-5 Type Torpedo Levels



MEASURING TOOLS

FSB 02 Torpedo Levels

M.05046

Size: 225mm/9*

Size: 225mm/9*

M.05047



Size: 225mm/9*

M.05048

FSB 03 Torpedo Levels



Double side leveling power!Magnetic strip on one side aids with metal surfaces and storage.Corner groove on other side allows you to read the vials at an angle. Three vials horizontal vertical and 45' Slit allows top reading of center vial.

Size: 225mm/9*

M.05049

FSB 01 Torpedo Levels

ABS Plastic and Aluminum Alloy Rule with Magnet; Torpedo type; 2pcs of acrylic vial indicating level.



Size: 100mm/4*

M.05053

Fiber Glass Tape

Ergonomically designed rubber jacketed case fits nicely in the hand while pulling long measurements. Two color stud markings are great for wall layouts. Nylon coated blade and high impact resistant ABS case.

Size: 10mx12.5mm. 20mx12.5mm. 30mx12.5mm.

50mx12.5mm



M.05054

Fiber Glass Tane Size:10m,15m,20m,30m,50m M.05055

Measuring Tape

Cloth tape with bakelite case, brass handle. Never leave your tape measures behind! Winding handle folds into body,out of the way. Virtually unbreakable closed ABS case protects the tape. Fiberglass tape lasts longer than metal tapes; flexbility allows uneven surface measurements.

Size: 10m, 15m, 20m, 30m, 50m

M.05056

Fiber Glass Tape

Heavy duty woven fiberglass tape specially coated for durable and accutate service. Handle design allows rapid reeling and unreeling for dozens of applications. Graduated in feet, and inches. ABS frame, plastic. M.05057

Size: 30mx12.5mm, 50mx12.5mm

Measuring Tape

Contractors and surveyors use these heavy duty tapes for long distance measuring. Tough fiberglass tape display SAE on one side and metric on the other. Protruding marker at the bottom of case make for easier measuring.

Size: 10m, 15m, 20m, 30m, 50m, 100m



Long Steel Measuring Tape

Expert quality, fiber glass tape graduated metres into cm/mm and feet into 1/8" inches on reverse. ABS plastic case with a plated, flush winding handle and stainless steel holding claw on end of tape.

Size: 30m. 50m

M.05059

Long Steel Measuring Tape

Contractors and surveyors use these heavy duty tapes for long distance measuring, 20,30,50M open reel steel measuring tape displays metric size. 12.5mm wide. Protruding marker at the bottom of case makes measuring easier.

Size: 20mx12.5mm, 30mx12.5mm, 50mx12.5mm

M.05060



Post Level









Post Level Full plastic. Molded from impact

resistant plastic with 3 vials. Size: 5"

M.05062



Try Square with Vials

Material Plastic. It's four squares in one. Stand up next to radial arm or table saws for quick depth adjustment.



3pcs Carpenter's Chalk Set M.05064

Walking Tape

Measure horizontal and vertical surfaces quick and easy. Heavy-duty wheel convenient support keeps too upright when not in use lelescoping handle adjusts easily to correct working height.

M.05065



57 corpoasia. synology. me

corpoasia, synology, me 58 ____