





卉艺 750




隋三柱 745




新艺 650




新艺 750




意式三柱 680




厢翼 710




锥花 750




NKE1-ZL500




NKA5-ZL600




窗式 BO-5



NKB3-ZL500



NKD-EL500




NKA2-ZL350



C250 (承压 25 吨)



D400 (承压 40 吨)




D400 (承压 40 吨)




D400 (承压 40 吨)




E600 (承压 60 吨)



F900 (承压 90 吨)



复合材质 (1)



复合材质 (2)




复合材质 (3)



复合材质 (4)



C250 (承压 25 吨)




B125 (承压 12.5 吨)



A15 (承压 1.5 吨)




复合材质 (5)



FXL#8003



FXL#8004



FXL#8006




FXL#8005



FXL#8002



FXL#8009




FXL#8008




FXL#8001




FXL#8010



FXL#8007



FXL#8011



FXL#8013



FXL#8016




FXL#8017



FXL#8018



FXL#8019






四氟生料带盘根



防腐石棉垫




柔性石墨盘根




聚四氟乙烯生料带




带麻盘根



聚四氟乙烯盘根




金属缠绕垫片




金属齿形垫、八角垫及椭圆垫



金属齿形垫、八角垫及椭圆垫



石棉板垫



胶垫



钢包垫



高压纯石墨盘根



四氟棒



金属缠绕垫



特质高分子涂层铝箔贴面产品
SPECIAL HIGH-MOLECULAR COATED
AND ALUMINUM FOIL-CLAD PRODUCTS



夹筋铝箔贴面产品
REINFORCED ALUMINUM
FOIL-CLAD PRODUCTS



镀膜压花铝箔贴面产品
FILMED AND EMBOSSED ALUMINUM
FOIL-CLAD PRODUCTS



橡塑保温板、管
RUBBER PLASTIC HEAT INSULATION
BOARDS AND PIPES



开孔式橡胶吸音板
OPEN-PORE RUBBER PLASTIC
SOUND DEADENING BOARDS



补口带
JOINTWRAP TAPE



保护带
PROTECTIVE TAPE



纯四氟盘根



防腐带
ANTICORROSION TAPE



碳纤维盘根



Z1T-N50 型电动切管套丝机
THREADING MACHINE P50






Z1T-N50 型多功能电动切管套丝机
THREADING MACHINE MP50




Z₃T-N80 型电动切管套丝机
THREADING MACHINE P80



Z₃T-N100 型电动切管套丝机
THREADING MACHINE P100




117/114 型管子铰板
RATCHET DIE STOCKS TYPE 114/117



62 型管子铰板
RATCHET DIE STOCKS TYPE 62




管子割刀 & 管子割刀刀轮
PIPE CUTTERS



管子螺纹扳牙
RATCHET SCREW DIES



管子台虎钳
PIPE TABLE VICE



液压弯管机
SWG MANUAL HYDRAULIC PIPE
BENDING MACHINE

镀锌铁丝

GALVANIZED IRON WIRE

材质：优质低碳钢。

工艺及特性：经过拉拔，酸洗，除锈，退火和打卷，具有良好的弹性和柔韧性。

用途：用于织网，建筑，工艺品，高速公路护栏网，产品包装及其它日常用途。


规格：热镀锌丝：BWG8-BWG24，
电镀锌丝：BWG8-BWG39。

Material: high quality low carbon steel.

Processing And Character: Have been gone through the process of wire drawing, acid washing, rust removing, annealing and coiling, it offers excellent flexibility and softness.

Usage: Used in weaving wire mesh, construction, handicrafts, express way fencing mesh, packaging of products and other daily uses.

Specification: hot dipped galvanized iron wire: BWG8-BWG24; electric galvanized iron wire: BWG8-BWG39.



电焊网


WELDED WIRE MESH

材料：优质低碳钢丝，不锈钢丝等。

编制及特点：分先焊后镀、先镀后焊；电镀锌、热镀锌、涂塑、异形电焊网。具有良好的防腐蚀，抗氧化等特点。

用途：广泛用于工业、农业、建筑、交通运输、采矿、球场、草坪、养殖等各行各业的围栏、装饰、机械防护等。

规格：孔目：1/4"x1/4"，1/2"x1/2"，3/4"x3/4"，1"x1"，1/2"x1"，1"x2"，2"x2"，2"x3"，3"x3"，4"x4"，3"x5"，4"x5"；丝径：BWG23-BWG14；宽：0.4m-1.8m；长：15m,20m,25m,30.5m等。特殊规格亦可根据客户需要定做。



Material: high quality low carbon steel wire, stainless steel wire.

Weaving And Character:Galvanized after Weaving And galvanized before weaving; electric galvanized, hot dipped galvanized, PVC-coated,etc,They are corrosion resistive and oxidation resistive.

Usage: Used in industry, agriculture, building, trans-portion, mining, playground, lawn, breeding, etc.

Specification: Mesh size: 1/4"x1/4"，1/2"x1/2"，3/4"x3/4"，1"x1"，1/2"x1"，1"x2"，2"x2"，2"x3"，3"x3"，4"x4"，3"x5"，4"x5"

Wire diameter: BWG23-BWG14; Width: 0.4m-1.8m.

Length: 15m, 20m, 25m, 30.5m, etc. Special specifications are available according to customers' requirement.