



MODEL:FX1 HBK

Material : AL-6061-T6
BCD : 104/64
Length : 165~175



MODEL:TL21B HBK

Material : AL-6061-T6
BCD : 104/64
Length : 89-175



MODEL:SS2 HBK(拉丝)

Material : AL-6061-T6
BCD : 64
Length : 170~175



MODEL:ST11 HBK

Material : AL-6061-T6
BCD : 64
Length : 165~175



MODEL:ST10 AA

Material : AL-6061-T6
Length : 170~175



MODEL:SX-2H GOLD

Material : AL-6061-T6
BCD : 64
Length : 165~175



MODEL:DX-2H HBK

Material : AL-6061-T6
BCD : 64
Length : 165~175



MODEL:ZUX-2H AA

Material : AL-6061-T6
BCD : 64
Length : 165~175



MODEL:TL50 AA

Material : AL-6061-T6
Length : 165 ~ 170



MODEL: SX-1 HA

Material : AL-6061-T6
Length : 165~175



MODEL:TL21 AA

Material : AL-6061-T6
Length : 165~175



MODEL:TL-7 HBK

Material : AL-6061-T6
Length : 170~175



MODEL:MG ABK

Material : AL-6061-T6
Length : 127 ~ 175mm



MODEL:DK21 HA

Material : AL-6061-T6
Length : 165~175



MODEL:DK5 AA

Material : AL-6061-T6
Length : 170~175



MODEL:TS3 AA

Material : AL-6061-T6
Length : 127/165~175



MODEL:TL-8 AA

Material : AL-6061-T6
Length : 152~170



MODEL:TL-9 HBK

Material : AL-6061-T6
Length : 170~175



MODEL:MC AA

Material : AL-6061-T6
Length : 165~175



MODEL: SX3 AA

Material : AL-6061-T6
Length : 170~175



MODEL:TS5 HBK

Material : AL-6061-T6
Length : 170~175



MODEL:ME AA

Material : AL-6061-T6
Length : 127~175



MODEL:MS-165 AA

Material : AL-6061-T6
Length : 127/165~175



MODEL:NMS ABK

Material : AL-6061-T6
Length : 165~175



PROFESSIONAL ALUMINUM ALLOY FORGING EXPERT

专业铝合金锻造



MODEL:TL36 HBK

Material : AL-6061-T6
Length : 165~175



MODEL:TS1 AA

Material : AL-6061-T6
Length : 140~175



MODEL:HS AA

Material : AL-6061-T6
Length : 140~175



MODEL:TL45 AA

Material : AL-6061-T6
Length : 165 ~ 170



MODEL:TL47 HBK

Material : AL-6061-T6
Length : 165 ~ 170



MODEL:TL49 HBK

Material : AL-6061-T6
Length : 165 ~ 170



MODEL:HS AA

Material : AL-6061-T6
Length : 140



MODEL:GMS HAA

Material : AL-6061-T6
Length : 127~140



MODEL:ICZ HA

Material : AL-6061-T6
Length : 170



MODEL:F10-B HAA

Material : AL-6061-T6
Length : 165~175



MODEL:TC-5 HBK

Material : AL-6061-T6
Length : 165~175



MODEL:ICB AA

Material : AL-6061-T6
Length : 152~175



MODEL:F11 AA

Material : AL-6061-T6
Length : 165~175



MODEL:TC-1 HAA

Material : AL-6061-T6
Length : 170~175



MODEL:ICD RED

Material : AL-6061-T6
Length : 170~175



MODEL:F8 HBK

Material : AL-6061-T6
Length : 170~175



PROFESSIONAL ALUMINUM ALLOY FORGING EXPERT

专业铝合金锻造



MODEL:TL12 HAA

Material : AL-6061-T6
Length : 140



MODEL:ICD HAA

Material : AL-6061-T6
Length : 140



MODEL:CL HBK

Material : AL-6061-T6
Length : 170~175



MODEL:TZ HAA

Material : AL-6061-T6
Length : 140



MODEL:TL48 GRAY

Material : AL-7075-T6
Length : 170 ~ 175mm



MODEL:MG HAA

Material : AL-6061-T6
Length : 165~175



MODEL:TL-6 HA

Material : AL-6061-T6
Length : 79~85



MODEL:MG AA

Material : AL-6061-T6
Length : 89-170



MODEL:MS HBK

Material : AL-6061-T6
Length : 102~175



MODEL:TL18 HA

Material : AL-6061-T6
Length : 42



MODEL:LZ-1 HBK

Material : AL-6061-T6
Length : 120~140



MODEL:BT05 AA

Material : AL-7075-T6
Length : 152~170



MODEL:BT01 AA

Material : AL-7075-T6
Length : 120~175



MODEL:BT02 AA

Material : AL-7075-T6
Length : 145~175



MODEL:BT03 HA

Material : AL-7075-T6
Length : 162~175



MODEL:BT04 HBK

Material : AL-7075-T6
Length : 162~175



PROFESSIONAL ALUMINUM ALLOY FORGING EXPERT

专业铝合金锻造



其他自行车配件



MODEL: JSF01
P C D: 125mm
mid bore: ϕ 29.97/ ϕ 26.97
side bore: ϕ 25.20/ ϕ 28.45



MODEL: JSF02
P C D: 125mm
mid bore: ϕ 29.97/ ϕ 26.97
side bore: ϕ 25.20/ ϕ 28.45



MODEL: JSF11
P C D: 120mm
mid bore: ϕ 29.97/ ϕ 26.97
side bore: ϕ 25.20/ ϕ 28.45



MODEL: JSF15



MODEL: JSF19
PCD: 130mm
side bore: ϕ 29.85mm
mid bore: ϕ 29.95mm



MODEL: JSF27
Material: AL-6061-T6
P C D: 160mm
mid bore: ϕ 39.7
side bore: ϕ 29.82



MODEL: JSF28
Material: AL-6061-T6
PCD: 160mm
side bore: ϕ 29.96mm
mid bore: ϕ 29.90mm



MODEL: JSF29
Material: AL-6061-T6
PCD: 160mm
side bore: ϕ 32mm
mid bore: ϕ 27mm



MODEL: JDF01

PCD:130mm
side bore(up): ϕ 35/ ϕ 38
mid bore(up): ϕ 25.5/ ϕ 28.7
mid bore(down): ϕ 26.97/ ϕ 29.97



MODEL: JDF02

P C D: 120mm
side bore: ϕ 25.5/ ϕ 32
mid bore(up): ϕ 25.5/ ϕ 28.7
mid bore(down): ϕ 26.97/ ϕ 29.97



MODEL: JDF03

P C D: 107mm
side bore: ϕ 25.5
mid bore(up): ϕ 25.5/ ϕ 28.7
mid bore(down): ϕ 26.97/ ϕ 29.97



MODEL: JDF04

P C D: 125mm
side bore: ϕ 25.5
mid bore(up): ϕ 25.5/ ϕ 28.7
mid bore(down): ϕ 26.97/ ϕ 29.97



MODEL: JDF06

P C D: 120mm
side bore: ϕ 25.5/ ϕ 28.7
mid bore(up): ϕ 25.5/ ϕ 28.7
mid bore(down): ϕ 26.97/ ϕ 29.97



MODEL: JDF07

P C D: 125mm
side bore: ϕ 31.8
mid bore(up): ϕ 28.7
mid bore(down): ϕ 29.97



MODEL: JDF08

P C D: 107mm
side bore: ϕ 25.5
mid bore(up): ϕ 28.7
mid bore(down): ϕ 29.97



MODEL: JDF09

P C D: 125mm
side bore: ϕ 25.5/ ϕ 28.7
mid bore(up): ϕ 25.5/ ϕ 28.7
mid bore(down): ϕ 26.97/ ϕ 29.97



PROFESSIONAL ALUMINUM ALLOY FORGING EXPERT

专业铝合金锻造



MODEL: JDF05
P C D: 132mm
side bore: ϕ 38
mid bore(up): ϕ 25.5/ ϕ 28.7
mid bore(down): ϕ 26.97/ ϕ 29.97



MODEL: JSF10
P C D: 160mm
side bore: ϕ 31.8
mid bore(up): ϕ 25.4/ ϕ 28.6
mid bore(down): ϕ 25.4/ ϕ 28.6

滑板车前叉实例（全CNC件）



MODEL: NT-2斜管
Material: AL-6061-T6



MODEL: YK前叉-1
Material: AL-6061-T6



MODEL: YK前叉-2
Material: AL-6061-T6



MODEL: YK前叉-2B
Material: AL-6061-T6



电机固定座实例



MODEL:BN马达盖
Material: AL-6061-T6



MODEL:安装架总成
Material: AL-6061-T6



MODEL:电机固定座
Material: AL-6061-T6

电动车减震安装座实例



MODEL:JUNYUE4件套
Material: AL-6061-T6



MODEL:AF46立柱盖板
Material: AL-6061-T6



MODEL:AF14支架
Material: AL-6061-T6



MODEL:AF50
Material: AL-6061-T6